COMMON/PUBLIC AREAS	
TENANT/VISITOR/GUEST PARKING	PARKING SPACES for All Tenants
	Total # Units
	Total # Tenant Parking Spaces
	Total # Tenant Disabled Parking Spaces
	Width of Space
	Length of Space
	Width of access aisle
	Is at least one access aisle 96"?
	Curb Cutout [Y/N]
	Slope at Curb Cutout
	Ramp [Y/N]
	o Railing [Y/N]
	 Edge Protection [Y/N]
	Slope at Ramp
COMMON/PUBLIC AREAS	ACCESSIBLE ROUTE FROM PARKING LOT TO OFFICE
	Shortest Distance in Wheelchair from Parking Lot to
	Office Entrance
	 How many curb cutouts would one use?
	How many ramps would one use?
	• SLOPE [%]
	 Largest Running Slope
	 Largest Cross Slope
COMMON/PUBLIC AREAS	ACCESSIBLE ROUTE FROM PARKING LOT TO BUILDING
	Shortest Distance in Wheelchair from Parking Lot to
	Building Entrance
	How many curb cutouts would one use?
	How many ramps would one use?
	• SLOPE [%]
	 Largest Running Slope
	 Largest Cross Slope
COMMON/PUBLIC AREAS	SIDEWALK #1:
	LOCATION [North, South, etc]
	WIDTH
	SLOPE [%]
	 Largest Running Slope
	 Largest Cross Slope

	HANDRAILS [Y/N]
	STEPS [Y/N]
	TEXTURE [smooth, cracks, etc.]
COMMON/PUBLIC AREAS	SIDEWALK #2:
	LOCATION [North, South, etc]
	WIDTH
	• SLOPE [%]
	 Largest Running Slope
	 Largest Cross Slope
	HANDRAILS [Y/N]
	STEPS [Y/N]
	TEXTURE [smooth, cracks, etc.]
COMMON/PUBLIC AREAS	SIDEWALK #3:
	LOCATION [North, South, etc]
	WIDTH
	• SLOPE [%]
	 Largest Running Slope
	 Largest Cross Slope
	HANDRAILS [Y/N]
	STEPS [Y/N]
	TEXTURE [smooth, cracks, etc.]

[INSERT SATELLITE IMAGE OF COMPLEX SIDEWALKS HERE]

COMMON/PUBLIC AREAS	EXTERIOR DOOR • LOCATION (N, S, E, W) • ELECTRONIC DOOR OPENER [Y/N] • HEIGHT OF OPENING HARDWARE • TYPE OF OPENING HARDWARE • CLEAR OPENING WIDTH • FORCE TO OPEN • FORCE TO CLOSE/TIME TO CLOSE (Automatic) • THRESHOLD TYPE AND HEIGHT • SURFACE TYPE OUTSIDE [CONCRETE/WOOD, ETC.]
COMMON/PUBLIC AREAS	EXTERIOR DOOR • LOCATION (N, S, E, W)
	 ELECTRONIC DOOR OPENER [Y/N] HEIGHT OF OPENING HARDWARE TYPE OF OPENING HARDWARE CLEAR OPENING WIDTH
	 FORCE TO OPEN FORCE TO CLOSE/TIME TO CLOSE (Automatic) THRESHOLD TYPE AND HEIGHT
COMMON/PUBLIC AREAS	 SURFACE TYPE OUTSIDE [CONCRETE/WOOD, ETC.] EXTERIOR DOOR LOCATION (N, S, E, W) ELECTRONIC DOOR OPENER [Y/N] HEIGHT OF OPENING HARDWARE TYPE OF OPENING HARDWARE CLEAR OPENING WIDTH
COMMONI/DIDLIC AREAS	 FORCE TO OPEN FORCE TO CLOSE/TIME TO CLOSE (Automatic) THRESHOLD TYPE AND HEIGHT SURFACE TYPE OUTSIDE [CONCRETE/WOOD, ETC.] INTERIOR DOOR
COMMON/PUBLIC AREAS	 LOCATION (N, S, E, W) ELECTRONIC DOOR OPENER [Y/N] HEIGHT OF OPENING HARDWARE TYPE OF OPENING HARDWARE CLEAR OPENING WIDTH

	FORCE TO OPEN
	FORCE TO CLOSE/TIME TO CLOSE (Automatic)
COMMON/PUBLIC AREAS	INTERIOR DOOR • LOCATION (N, S, E, W) • ELECTRONIC DOOR OPENER [Y/N] • HEIGHT OF OPENING HARDWARE • TYPE OF OPENING HARDWARE • CLEAR OPENING WIDTH • FORCE TO OPEN • FORCE TO CLOSE/TIME TO CLOSE (Automatic)
COMMON/PUBLIC AREAS	INTERIOR DOOR • LOCATION (N, S, E, W) • ELECTRONIC DOOR OPENER [Y/N] • HEIGHT OF OPENING HARDWARE • TYPE OF OPENING HARDWARE • CLEAR OPENING WIDTH • FORCE TO OPEN • FORCE TO CLOSE/TIME TO CLOSE (Automatic)
COMMON/PUBLIC AREAS	MAIL SLOT (FOR PAYMENTS) • HEIGHT • DISTANCE FROM EDGE OF SIDEWALK (centered on 30" x 48" clear floor space)?
COMMON/PUBLIC AREAS	 ELECTRONIC DOOR OPENER [Y/N] FORCE TO OPEN FORCE TO CLOSE/TIME TO CLOSE (Automatic) HEIGHT OF OPENING HARDWARE TYPE OF OPENING HARDWARE Clear Width Opening of Door Steps? [Y/N] Obstructions? [Y/N] Threshold Height Accessible Path Throughout [Y/N]

COMMON/PUBLIC AREAS	COMMON USE/PUBLIC BATHROOM
COMMUNICINITED AREAS	
	 ELECTRONIC DOOR OPENER [Y/N] FORCE TO OPEN/CLOSE
	TYPE OF OPENING HARDWARE Class Width Opening of Deep
	Clear Width Opening of Door Distance from Contacting of Tailet to Wall
	Distance from Centerline of Toilet to Wall 20% 40% Class Flow Season Toilet (WAL)
	30" x 48" Clear Floor Space – Toilet [Y/N] Bit and form Contaction of Side to Mall.
	Distance from Centerline of Sink to Wall
	30" x 48" Clear Floor Space – Sink [Y/N]
	Counter Height
	Knee space below sink for wheelchair?
	Are outlets & controls usable [Y/N]
	Are there grab bars [Y/N]
COMMON AREAS	COMMUNITY ROOM/
	ELECTRONIC DOOR OPENER [Y/N]
	FORCE TO OPEN
	FORCE TO CLOSE/TIME TO CLOSE (Automatic)
	HEIGHT OF OPENING HARDWARE
	TYPE OF OPENING HARDWARE
	Clear Width Opening of Door
	Steps? [Y/N]
	Obstructions? [Y/N]
	Threshold Height
	Accessible Environmental Controls [Y/N]
	Accessible Path Throughout [Y/N]
COMMON AREAS	FITNESS CENTER/
	ELECTRONIC DOOR OPENER [Y/N]
	FORCE TO OPEN
	FORCE TO CLOSE/TIME TO CLOSE (Automatic)
	HEIGHT OF OPENING HARDWARE
	TYPE OF OPENING HARDWARE
	Clear Width Opening of Door
	Steps? [Y/N]
	Obstructions? [Y/N]
	Threshold Height
	Accessible Environmental Controls [Y/N]
	Accessible Path Throughout [Y/N]

COMMON AREAS	BUSINESS CENTER/ • ELECTRONIC DOOR OPENER [Y/N] • FORCE TO OPEN • FORCE TO CLOSE/TIME TO CLOSE (Automatic) • HEIGHT OF OPENING HARDWARE • TYPE OF OPENING HARDWARE • Clear Width Opening of Door
COMMACNIADEAS	 Steps? [Y/N] Obstructions? [Y/N] Threshold Height Accessible Environmental Controls [Y/N] Accessible Path Throughout [Y/N]
COMMON AREAS	 ELECTRONIC DOOR OPENER [Y/N] FORCE TO OPEN FORCE TO CLOSE/TIME TO CLOSE (Automatic) HEIGHT OF OPENING HARDWARE TYPE OF OPENING HARDWARE Clear Width Opening of Door Steps? [Y/N] Obstructions? [Y/N] Threshold Height Accessible Environmental Controls [Y/N] Accessible Path Throughout [Y/N]
COMMON AREAS	 ELECTRONIC DOOR OPENER [Y/N] FORCE TO OPEN FORCE TO CLOSE/TIME TO CLOSE (Automatic) HEIGHT OF OPENING HARDWARE TYPE OF OPENING HARDWARE Clear Width Opening of Door Steps? [Y/N] Obstructions? [Y/N] Threshold Height Accessible Environmental Controls [Y/N] Accessible Path Throughout [Y/N]

COMMON AREAS	
	 ELECTRONIC DOOR OPENER [Y/N] FORCE TO OPEN FORCE TO CLOSE/TIME TO CLOSE (Automatic) HEIGHT OF OPENING HARDWARE TYPE OF OPENING HARDWARE Clear Width Opening of Door Steps? [Y/N] Obstructions? [Y/N] Threshold Height Accessible Environmental Controls [Y/N] Accessible Path Throughout [Y/N]
COMMON AREAS	SWIMMING POOL • Steps? [Y/N] • Obstructions? [Y/N] • Accessible Path To [Y/N]
COMMON AREAS	 TENNIS COURTS Steps? [Y/N] Obstructions? [Y/N] Accessible Path To [Y/N]
COMMON AREAS	PLAYGROUND • Steps? [Y/N] • Obstructions? [Y/N] • Accessible Path To [Y/N]
COMMON AREAS	 GARBAGE DISPOSAL LOCATION (INDOORS/OUTDOORS) TYPE (Dumpster, Garbage Can, Chute) Steps? [Y/N] Obstructions? [Y/N] Accessible Path To [Y/N] Openings Accessible [Y/N] 30x48" cfs at garbage disposal area? [Y/N] FORCE TO OPEN HEIGHT OF OPENING HARDWARE TYPE OF OPENING HARDWARE

COMMON AREAS	COMMUNITY LAUNDRY
	ELECTRONIC DOOR OPENER [Y/N]
	FORCE TO OPEN
	 FORCE TO CLOSE/TIME TO CLOSE (Automatic)
	 HEIGHT OF OPENING HARDWARE
	TYPE OF OPENING HARDWARE
	 Clear Width Opening of Door
	Steps? [Y/N]
	Obstructions? [Y/N]
	Threshold Height
	 Accessible Environmental Controls [Y/N]
	 Accessible Path Throughout [Y/N]

INDIVIDUAL UNITS – UNIT #	 Steps? [Y/N] Obstructions? [Y/N] Threshold Height FORCE TO OPEN FORCE TO CLOSE/TIME TO CLOSE (Automatic) HEIGHT OF OPENING HARDWARE Height of Deadbolt Lock TYPE OF OPENING HARDWARE (Outside of door) Clear Width Opening of Door Total # doors in unit (exclude closets, unless walk-in)
INDIVIDUAL UNITS – UNIT #	 KITCHEN Type of kitchen (U-shaped, Galley, Island) Space between counters/island:"" Electrical outlet above counter, distance to corner: Other electrical outlets available? Height of light switches:
INDIVIDUAL UNITS - UNIT #	 30x48" cfs at refrigerator? [Y/N] 60" clear turning space (U-shaped)? [Y/N] Is sink at base of U (U-shaped)? [Y/N] Cabinets removable? [Y/N] Height from floor to countertop:"
INDIVIDUAL UNITS – UNIT #	 LIVING ROOM Environmental controls under 48"? [Y/N] Outlets above 15"? [Y/N]
INDIVIDUAL UNITS – UNIT #	 PATIO/BALCONY Patio/Balcony present? [Y/N] Patio/balcony door opens to 31 5/8"? [Y/N] What is drop from door to patio/balcony surface? Inside drop to floor at patio/balcony door? What is patio/balcony made of? [Concrete/Wood/Other]
INDIVIDUAL UNITS – UNIT #	BEDROOM #1 # doors in bedroom Doors 31 5/8" wide minimum? [Y/N] Environmental controls under 48"? [Y/N] Electrical outlets over 15"? [Y/N]

INDIVIDUAL UNITS – UNIT #	BEDROOM #2
	# doors in bedroom
	 Doors 31 5/8" wide minimum? [Y/N]
	 Environmental controls under 48"? [Y/N]
	Electrical outlets over 15"? [Y/N]
INDIVIDUAL UNITS – UNIT #	BEDROOM #3
	# doors in bedroom
	 Doors 31 5/8" wide minimum? [Y/N]
	 Environmental controls under 48"? [Y/N]
	 Electrical outlets over 15"? [Y/N]
INDIVIDUAL UNITS – UNIT #	BATHROOM #1
	Type A or Type B?
	# doors in bathroom
	Door 31 5/8" wide minimum? [Y/N]
	Describe: Shower / tub / both / neither?
	Seat? [Y/N]
*Note: cfs = clear floor space	Roll-in? [Y/N]
	 30x48" cfs* outside of swing of door? [Y/N]
	Grab bars? [Y/N] Height:
	Height of grab bars:
	If shower only, interior 36x36"? [Y/N]
	 Center of toilet 24" from obstructions? [Y/N]
	Space to Left of Toilet Centerline:
	Space to Right of Toilet Centerline:
	Height from floor to toilet seat:
	 Center of sink 24" from obstructions? [Y/N]
	Space to Left of Sink Centerline:
	Space to Right of Sink Centerline:
	Cabinets below sink? [Y/N]
	Cabinets removable? [Y/N]
	 If yes, is floor finished below? [Y/N]
	Kneespace below sink:
	Depth available:
	Width available:
	Height available:
	Height from floor to countertop:
	Are outlets & controls usable [Y/N]
	Towel rack [Y/N] Height:"

INDIVIDUAL UNITS – UNIT #	BATHROOM #2
	Type A or Type B?
	# doors in bathroom
	 Door 31 5/8" wide minimum? [Y/N]
	Describe: Shower / tub / both / neither?
	Seat? [Y/N]
	Roll-in? [Y/N]
	 30x48" cfs* outside of swing of door? [Y/N]
	Grab bars? [Y/N] Height:"
	Height of grab bars:
	 If shower only, interior 36x36"? [Y/N]
	 Center of toilet 24" from obstructions? [Y/N]
	Space to Left of Toilet Centerline:
	Space to Right of Toilet Centerline:
	Height from floor to toilet seat:
	 Center of sink 24" from obstructions? [Y/N]
	Space to Left of Sink Centerline:
	Space to Right of Sink Centerline:
	 Cabinets below sink? [Y/N]
	 Cabinets removable? [Y/N]
	 If yes, is floor finished below? [Y/N]
	Kneespace below sink:
	Depth available:
	Width available:
	Height available:
	Height from floor to countertop:
	 Are outlets & controls usable [Y/N]
	Towel rack [Y/N] Height:
INDIVIDUAL UNITS – UNIT #	HALLWAY
	 Environmental controls under 48"? [Y/N]
	 Width of hallway 36" or greater? [Y/N]
	Outlets above 15"? [Y/N]
INDIVIDUAL UNITS – UNIT #	LAUNDRY
	(Common area) / private?
	30x48" cfs at washer/dryer? [Y/N]
	 Door (32") 31 5/8" wide minimum? [Y/N]